



BUSINESS BENCH[®]

C O N S T R U C T I O N & I N T E R I O R

INDIA'S NO.1

REPUTED INTERIOR
BRAND



RIGHT **CHOICE** FOR YOUR INTERIOR STYLE!!

BUY, WHAT YOU WANT? WHERE YOU WANT?

WWW.BUSINESSBENCH.IN



ABOUT US

Welcome to Business Bench Company, where we redefine spaces with our exceptional range of interior and exterior products. Our company was established in 2018 by a team of two young and passionate entrepreneurs. Primarily, we started as a small interior design company. Subsequently, our journey took an exciting turn when we embellished an interior and exterior design import company. Currently, we have warehouses in Tamil Nadu and Visakhapatnam for interior and exterior materials. Also distributor's all over India. Right now, we have more than 400+ dealers in our country.

Driven by our ambitious growth strategy, we are expanding our footprint across India and planning cross-border inspiration. We aim to reach the international market shortly. We plan to expand our operations to prosperous destinations **ALL OVER THE WORLD**.

Our main goal at Business Bench is to disrupt the interior design industry by providing quality Interior and exterior products at competitive prices. We are committed to building strong customer relationships. Across South and North India and beyond. Focusing on the world's leading importers of interiors and Exterior. In addition, our vision includes us as a leading builder known for our innovative and sustainable construction practices. With a relentless pursuit of excellence and an unwavering commitment to our clients, we have poised to redefine the boundaries of success in interior design. Construction industry. We are eager to embark on this transformative journey to design remarkable spaces and create unique experiences for our valued customers.

Our products seamlessly blend international trends with local convenience, making it easy to **ELEVATE YOUR INTERIORS.**

At Business Bench, quality is our top priority. We assure you that each product in our collection undergoes rigorous quality control measures to ensure **DURABILITY, FUNCTIONALITY & AESTHETIC APPEAL.**

Whether you're furnishing a home, office, or commercial space, our team is dedicated to providing personalized solutions. Explore our customizable options to bring your vision to life. We believe in offering exceptional value for your investment. Enjoy competitive pricing on all our products, making luxury and style accessible to a wide range of customers.

7

**WONDER'S OF
BUSINESS BENCH**

**INTERIOR
&
EXTERIOR PRODUCTS**

Wood Ceiling

Wallpaper

Wooden Flooring

WPC Interior Panel

WPC Exterior Panel

Polygranite Sheet

Stone Coated Steel Roofing

OUR PRODUCTS

- ◆ POLYGRANITE SHEET
- ◆ WOOD CEILING &
WALL PANELS
- ◆ WPC INTERIOR PANEL
- ◆ WPC EXTERIOR PANEL
- ◆ WOODEN FLOORING
- ◆ STONE COATED
STEEL ROOFING
- ◆ WALLPAPER
- ◆ STONE PANEL
- ◆ ADHESIVE

OUR PRODUCT PORTFOLIO

From inspiration
to your **INTERIOR**
& **EXTERIOR**



POLYGRANITE SHEET

Business Bench Polygranite Sheets were eventually utilized to decorate interior walls in commercial and residential buildings. Polygranite sheets are ideal for use in restaurants, theaters, offices, hotels, clubs, hospitals, etc. With numerous advantages, Business Bench brings polygranite sheets to the market, and homes will appear more gorgeous and enchanted than you could have ever dreamed when the sheet has been added. Having a beautiful wall in your living area is one of your home's original features.

Where can we use Polygranite sheet?

Houses, Show Room, Office, Restaurants, Marriage Hall, College, Reception Room, Tv cabinets, Kitchen Cabinets, Wardrobe cabinets, Parlour, etc

Advantage of Polygranite sheet?

Water resistance | Heat resistance | Keep the room cool | Termite proof | Cost Efficient when compared to granite | Easy to clean and maintain | Highly durable | Life time 20-25 years | Wastage is minimal

ADVANTAGE & FEATURES



Weather, UV &
Termite Resistant



Natural Granite
& Marble Look



ISO
Certified



No Coating
/ Painting



Easy to
Clean



Easy to
Install



High Strength /
Non Brittle



Anti
Corrosive



Zero
Maintenance



Fire
Resistant



Water
Resistant



Reuse

Size: 8 Feet Height x 4 Feet Width | Covered Area: 32sq.ft
Thickness: 3mm - 25+ pattern | 1.2mm -5+ pattern
Per Sheet Weight- 17.5Kg (3mm) | 6Kg (1.2mm)

3MM SHEETS PATTERN



BRAZILIAN WOOD - MATT



NOVOCENO PINE - MATT



RAINFOREST GOLD



OPERA ORANGE



DIAMOND CUT



ITALIAN BLACK

3MM SHEETS PATTERN




3D PASTORAL GRANITE




PINK PEARL



SAFFRON BROWN



LAVADIA BLACK MARBLE



BLACK MIRAGE



WOODEN PATTERN


3MM SHEETS PATTERN



OPERA GREEN



PEARL WHITE



FONCE IMPERIAL



VERDANT GRANITE



INDUS GOLD



ITALIAN WHITE

3MM SHEETS PATTERN



OASIS WHITE




IMPERIAL BLUE



STATUARIO GRANITE



CREMA BEIGE



WHITE



GOLD


GLITTER PATTERN



GOLDEN HARVEST



MOUNTAIN GRANITE



SWISS GRANITE



GOLDEN VEIN




GOLD CALACATTA




GREEK GRANITE


1.2MM SHEETS PATTERN



WHITE



YELLOW




GREEN



PINK



RED



SOFT STONE

WOOD CEILING & WALL PANEL

Ceiling panels, known as wood ceiling panels, are used to join the ceiling of the building to the wall.

Let's explore different advantages you would receive, when choosing an exposed Wood ceiling

- High aesthetic value - the possibility of using traditional and modern house arrangements
- Relatively low price compared to other wood ceiling material
- Does not require additional maintenance or regular care,
- The installation of a Wood Ceiling does not leave large amounts of waste.
- A Wood Ceiling is highly resistant to adverse weather conditions.

Where can we use Wood Ceiling Panel?

The interior and Semi-exterior of building can be decorated by wood ceiling installation.

ADVANTAGE & FEATURES



Weather, UV &
Termite Resistant



Anti
Bacterial



ISO
Certified



Easy to
Clean



Easy to
Install



Seamless
Look



Zero
Maintenance



Light
Weight



Anti
Corrosive



Fire
Resistant



Water
Resistant




Reuse

Size: 12 Feet Height x 1 Feet Width | Covered Area: 12 sq.ft


Thickness: 1mm - 7+ pattern | Per Panel Weight- 2.8 Kg

Per Box: 12 PCS | Per Box Weight- 27.4 Kg

WOOD CEILING PATTERN




SW001 EARLY AMERICAN




SW002 TEAK WOOD



SW003 LIGHT OAK



SW004 WALNUT BROWN



SW005 JACOBAN WOOD



SW006 GRAPHITE

WOOD CEILING PATTERN



ACCESSORIES

Size: 10 Running Feet

H-Channel

Weight - 21 Kg | Per Box - 24 PCS

J-Channel

Weight - 15 Kg | Per Box - 40 PCS

Inner Corner: Per Box - 10 PCS

Outer Corner: Per Box - 10 PCS

H-CHANNEL

Traditional Wood Pattern



INNER CORNER

Traditional Wood Pattern



J-CHANNEL

Traditional Wood Pattern



OUTER CORNER

Traditional Wood Pattern



WPC INTERIOR PANEL

Building decoration using WPC-fluted panels is becoming more and more common. Composite wall panels are great substitute for conventional wood wall panels since they offer all the advantages of WPC wall panels along with the benefits of wood wall panels. It's a stylish and economical way to decorate. Gorgeous appearance WPC wall panels give your home a distinctive appearance and seem elegant and well-maintained. Additionally, you have a wide range of styles and designs.

Where can we use WPC Fluted Panel (Interior)?

Commercial and residential buildings, louvers for shading and privacy control, feature walls, accent walls, TV wall units, and decorative elements.

Advantages of WPC Fluted Panel:

Aesthetics & Visual Appeal | Durability & Long Lasting | Eco-Friendliness | Low Maintenance
Resistance To Insects and Mould | Easy To Install

ADVANTAGE & FEATURES



ISO
Certified



Water
Resistant



Zero
Maintenance



Reuse



Weather, UV &
Termite Resistant



Easy to
Install



Easy to
Clean



Fire
Resistant



Light
Weight



Natural Granite
& Marble Look

MODEL 1

Size: 9'6" x 6.6" | Thickness: 24 mm
Per Box: 14 Pcs | Box Weight: 37 Kg
Covered Area: 5.25 Sq.Ft
Colors: 5+ Pattern


MODEL 2

Size: 9'6" x 8" | Thickness: 28 mm
Per Box: 12 Pcs | Box Weight: 41 Kg
Covered Area: 6.25 Sq.Ft
Colors: 7+ Pattern

WPC INTERIOR PATTERN (MODEL 1)



4001 - JADE BLACK



4002 - PRINCETON ORANGE



4003 - BERRY BLUE




4004 - COLONIAL MAPLE




4005 - JACOBAN WOOD


WPC INTERIOR PATTERN (MODEL 2)




3001 - PLATINUM GREY



3002 - PADOAK



3003 - MAHOGANY



3004 - REDCHEST NUT



3005 - WHITE OAK






3006 - STATUARIO WHITE



3007 - JAMAICAN WOOD

WPC INTERIOR PANEL ACCESSORIES

Size: 10 Running Feet | Per Bundle: 200Pcs



"Behind every
SECRET DOOR,
there lies a
story waiting
to be discovered."

WPC EXTERIOR PANEL

We are pleased to present ourselves as the top provider of WPC outdoor wall panels. We offer the best. Wall decorating options and a genuine wood look and feel. We assured our clients that we would only offer them quality-assured products.

The WPC improves durability, moisture resistance, and UV protection, while the wood fibers give it strength, texture, and aesthetic appeal. In several areas, WPC louvers perform better than traditional materials.

Where can we use WPC Fluted Panel (Exterior)?

- Wall Cladding
- Ceilings

Features:

- Beautiful appearance
- Perfect finish
- low-maintenance

ADVANTAGE & FEATURES



Weather, UV &
Termite Resistant



Wooden
Finishing



ISO
Certified



Easy to
Clean



Easy to
Install



Heavy
Weight



Anti
Corrosive



Zero
Maintenance



Fire
Resistant




Water
Resistant



Reuse

Size: 9'6" Feet x 8.7 Inches | Covered Area: 6.8 sq.ft
Thickness: 26mm - 4+ pattern | Per Panel Weight- 9 Kg
Per Box Panel: 5 PCS | Per Box Weight- 45 Kg

WPC EXTERIOR PANEL




EW01 GREEN HEART WOOD



EW02 METAL GREY WOOD



EW03 EBONY WOOD



EW04 OXFORD BROWN WOOD

WPC Exterior Accessories
L CORNERS Available in
Our Pattern Color

WOODEN FLOORING

Wooden flooring is always a terrific option, whether you're a homeowner trying to update your living room floor or a developer looking to renovate a property. Compared to other flooring options on the market, wood flooring offers several advantages.

Advantages Of Wooden Flooring:

- Easy installation
- Easy to clean
- Long Durability
- A Large variety of wood flooring types
- Better options than tile & granite

ADVANTAGE & FEATURES



Natural Wood
Texture



ISO
Certified



Scratches
Resistant



Zero
Maintenance



Time
Saving



Easy to
Install



Easy to
Clean



Reuse



Heavy
Weight




Fire
Resistant

5G


Interlocking
System

Size: 4' Feet Height x 8" Inches Width | Color: 5+ Pattern
Thickness: 10mm (8mm HDF Board + 2mm Pre-Attached Foam)
Covered Area: 2.56 Sq.Ft | Per Sheet Weight- 1.6 Kg | Per Box: 8 Pcs



WOODEN PATTERN




BC01 - GREY OAK WOOD




BC02 - EUROPEAN WOOD



BC03 - BRAZILIAN WOOD



BC04 - WARM CHESTNUT



BC05 - ESPRESSO WALNUT

WOODEN FLOORING ACCESSORIES

Size: 8 Running Feet

Per Box: 20 Pcs | Per Box Weight : 13Kg



REDUCER



T-MODULING

Size: 8 Running Feet

Per Box: 10 Pcs | Per Box Weight : 19Kg



SKIRTING LINE



STAIR NOSE

Extremely
Contemporary



Composite Decking
Looks Like
NATURAL WOOD!!

STONE COATED STEEL ROOFING

The roofing sector, stone-coated steel roofing, has been a game-changer in recent years. Steel roofing was once only used on industrial structures and seen as ugly. Because of development technologies, stone-coated steel roofing is now an aesthetically pleasing substitute that can mimic the appearance of more conventional roofing materials.

Where can we use Stone Coated Steel Roofing?

As a Business Bench roofing material, it is widely used in many projects, like villas, apartments, buildings, etc.

Stone Coated Steel Roofing Advantages:

Long Durability | Versatility in Design | Cost Effective | Energy Efficient | Fire Resistance
Impact Resistance | Low Maintenance | Environment Friendly | Sound Insulation
Resilience to Climate Variations

ADVANTAGE & FEATURES



No Rain Water
Sound



Corrosion
Resistant



5
Colors



Strong
(High Quality)



Weather
Resistant



Light
Weight



30 Years
Life Time



10 Years
Color Warranty



Beautiful
Matt Look

Size: 7.7' Feet x 2.8' Feet | Roof Pattern: 5+ Pattern
Thickness: 0.4mm | Covered Area: 21.3 Sq.Ft
Per Sheet Weight- 10 Kg

STONE COATED STEEL ROOFING PATTERN



BBSC - 01 WINE RED



BBSC - 02 BROWN BLACK



BBSC - 03 FOREST GREEN




BBSC - 04 ARTICAL BLUE

STONE COATED STEEL ROOFING PATTERN



BBSC - 05 SMOKY GREY

RIDGE CAP



WALLPAPER

Business Bench Wallpaper is an outstanding choice with a high visual impact. It can be enormous. Bold or soft and subtle, depending on your choice, comes in an endless array of colors, patterns, and textures. An additional fantastic thing about wallpaper is its versatility.

ADVANTAGES OF WALLPAPER:

- Wallpaper is incredibly affordable and long-lasting.
- Properly mounted wallpaper has a three-fold lifespan compared to paint.
- High-quality wallpaper can cover up surface flaws in your walls.
- Here is a vast array of colors available in paint, but only a restricted selection of matte or gloss finishes.
- Wallpaper is available in a wide range of patterns and textures.

Wallpaper designs frequently include textured components, which give the walls depth and visual interest. Textured wallpapers can enhance the ambiance of a room by evoking a sense of elegance, warmth, or comfort. A location may feel cozier and more engaging since it offers a physical sensation.



Size: 1.75' x 32'
Thickness: 210 GSM
Covered Area: 56 Sq.Ft
Color: Model 1 - 51+
Model 2 - 6+


WALLPAPER PATTERN (MODEL 1)




MS370901



MS370904



A381805



A381901




A381902



B580105



B581301




B581302



B581303



GU873605



GU873606




MC120052




MC120011




MC120031




MC120036



MC120035



MC120036




MC120037



MC120038



MC120041



MC120044



MC120060



MC120060



MC120091



MC120092


WALLPAPER PATTERN (MODEL 1)




MC120093



MC120094




MC120123




MC120125




MC120135




MC120136



MC120140



MC120141




MC120143



MC120145




MC120152



MC120155



MC120159



ML110158



ML110156




MC120106



MC130107



MR130125



MR130125



MR130207




MR130601



MR130603




MR130605




MS370606


WALLPAPER PATTERN (MODEL 2)




LD188051



LD188052



LX888041




LX888042




LX888044



LX888051



LX888052



LX888054

ACCENTUATE

The Feel of Your Decor



SUPREME

STONE PANELS

Stone Panel is a decorative interior product designed with three-dimensional patterns and textures on its surface. Stone panel is made from polyvinyl chloride (PVC).

Stone panels are commonly used for wall and ceiling coverings. Used as decorative accents in both residential and commercial spaces.

The embossing process involves creating raised or recessed patterns on the panels surface, which adds depth and texture to the panel.

Texture And Appearance

The primary feature of stone panels is the textured surface, which can replicate a wide range of designs. Stone-textured PVC panels are engineered to closely resemble the texture and appearance of various natural stones like granite, slate, limestone or marble.

Where can we use Stone Panel?

Houses, Show Room, Office, Restaurants, Marriage Hall, College, Reception Room, Tv cabinets, Cabinets, Wardrobe cabinets, Parlour, etc

ADVANTAGE & FEATURES



Natural
Stone Look



ISO
Certified



Water
Resistant



Zero
Maintenance



Weather, UV &
Termite Resistant



Easy to
Clean



Reuse



Light
Weight



Insulation



ECO
Friendly



Fire
Resistant



Only Used in
Interior

Size: 8 Feet Height x 4 Feet Width | Covered Area: 32sq.ft
Thickness: 3mm - 10 pattern Per Sheet Weight- 17.5Kg (3mm)

STONE PANELS PATTERN



SP01-BRONZE ARMANI




SP02-ANTIQUÉ GRIS




SP03-WAVE GOLD



SP04-PLATINUM WHITE




SP05-METALLIC GREY



SP06-CRUST WINTER

STONE PANELS PATTERN



SP07-VISCON WHITE



SP08-ETERNAL SILESTONE



SP09-LAVA GRAPHITE



SP10-GROOVED STATUARIO



ADHESIVE



MAIN PURPOSES

Bonding Wood And Pvc, Ceramic, Masonry, Aluminum, Metal, Timber, Steel, Concrete, Glass, Plasterboard, And flooring Paneling, Etc.,

PRODUCTS FEATURES

- Good weather resistance
- Low - odour and eco-friendly
- Super Initial Strength, Long-Lasting Viscosity and Good Bonding Strength
- Wide application range, suitable for most of materials and also suitable for the gap filling.
- No containing to toluene, benzene or other hazardous material.

APPLICATION METHOD

- Clean the surface and make sure there's no oil stains and ash left.
- Cut open the orifice and fit the nozzle on squeeze the adhesive out with a gun.

BONDING PROCESS FOR LIGHT MATERIALS:

(Applicable to light materials and bonding places with light bearing pressure) squeeze the adhesive out and gelatinize in a "Z" Shape with a 40cm distance, press the materials tightly and then take them a part for several minutes and squeeze them again.

BONDING PROCESS FOR HEAVY MATERIALS:

Squeeze the adhesive out and gelatinize as described above, then fix with clamp, iron nails, screws and others instruments, remove the clamp after adhesive dried (above 24 hours). Sticking positions can be adjusted within 20 min, adhesiveness will be stronger within 2-3 days, optimum efficiency will be achieved after 7 days.

PRODUCTS INTRODUCTION

Liquid nails are with super strength, can be used in place of nails to fix and bond the woods, plasterboard, medium density fiberboard, stones, metals plastics, rubbers etc., without surface drilling.

PRODUCTS FEATURES

- Super adhesiveness.
- Excellent flexibility, Stable adhesiveness.
- Wide application can be used on most base materials even wet woods.
- Will not sag, can be used for joint filling, can be painted after drying.
- Perfect weather resistance and water tightness.
- Non-toxic, tasteless and no pollution.

APPLICATION METHOD

- Clean the surface and make sure there's no oil stains and ash left.
- Cut open the orifice and fit the nozzle on squeeze the adhesive out with a gun

BONDING PROCESS FOR LIGHT MATERIALS:

(Applicable to light materials and bonding places with light bearing pressure) squeeze the adhesive out and gelatinize in a "Z" Shape with a 40cm distance, press the materials tightly and then take them a part for several minutes and squeeze them again.

BONDING PROCESS FOR HEAVY MATERIALS:

Squeeze the adhesive out and gelatinize as described above, then fix with clamp, iron nails, screws and others instruments, remove the clamp after adhesive dried (above 24 hours). Sticking positions can be adjusted within 20min, adhesiveness will be stronger within 2-3days, optimum efficiency will be achieved after 7 days.

